

State of the Art Report on Systems Performance of Steel Moment Frames Subject to Earthquake Ground Shaking

SAC Joint Venture

**A partnership of
Structural Engineers Association of California (SEAOC)
Applied Technology Council (ATC)
California Universities for Research in Earthquake Engineering (CUREe)**

**Prepared for the SAC Joint Venture Partnership by
Helmut Krawinkler**

Department of Civil Engineering, Stanford University

Project Oversight Committee

William J. Hall, Chair

Shirin Ader
John M. Barsom
Roger Ferch
Theodore V. Galambos
John Gross

James R. Harris
Richard Holguin
Nestor Iwankiw
Roy G. Johnston
Len Joseph

Duane K. Miller
John Theiss
John H. Wiggins

SAC Project Management Committee

SEAOC: William T. Holmes
ATC: Christopher Rojahn
CUREe: Robin Shepherd

Program Manager: Stephen A. Mahin
Project Director for Topical Investigations:
James O. Malley
Project Director for Product Development:
Ronald O. Hamburger

Topical Investigation Team

C. Allin Cornell
Kazukio Kazai
Bruce Maisson

Gregory McRae
Farzad Naeim

Andre Reinhorn
Paul Sommerville

Technical Advisory Panel

Jacques Cattan
Gary C. Hart
Y. Henry Huang

Dennis Randall
Arthur E. Ross
C. Mark Saunders

W. Lee Shoemaker
John Theiss

SAC Joint Venture

SEAOC: www.seaoc.org

ATC: www.atcouncil.org

CUREe: www.curee.org

September 2000

THE SAC JOINT VENTURE

SAC is a joint venture of the Structural Engineers Association of California (SEAOC), the Applied Technology Council (ATC), and California Universities for Research in Earthquake Engineering (CUREe), formed specifically to address both immediate and long-term needs related to solving performance problems with welded, steel moment-frame connections discovered following the 1994 Northridge earthquake. SEAOC is a professional organization composed of more than 3,000 practicing structural engineers in California. The volunteer efforts of SEAOC's members on various technical committees have been instrumental in the development of the earthquake design provisions contained in the *Uniform Building Code* and the 1997 *National Earthquake Hazards Reduction Program (NEHRP) Recommended Provisions for Seismic Regulations for New Buildings and other Structures*. ATC is a nonprofit corporation founded to develop structural engineering resources and applications to mitigate the effects of natural and other hazards on the built environment. Since its inception in the early 1970s, ATC has developed the technical basis for the current model national seismic design codes for buildings; the *de facto* national standard for postearthquake safety evaluation of buildings; nationally applicable guidelines and procedures for the identification, evaluation, and rehabilitation of seismically hazardous buildings; and other widely used procedures and data to improve structural engineering practice. CUREe is a nonprofit organization formed to promote and conduct research and educational activities related to earthquake hazard mitigation. CUREe's eight institutional members are the California Institute of Technology, Stanford University, the University of California at Berkeley, the University of California at Davis, the University of California at Irvine, the University of California at Los Angeles, the University of California at San Diego, and the University of Southern California. These laboratory, library, computer and faculty resources are among the most extensive in the United States. The SAC Joint Venture allows these three organizations to combine their extensive and unique resources, augmented by subcontractor universities and organizations from across the nation, into an integrated team of practitioners and researchers, uniquely qualified to solve problems related to the seismic performance of steel moment-frame buildings.

ACKNOWLEDGEMENTS

Funding for Phases I and II of the SAC Steel Program to Reduce the Earthquake Hazards of Steel Moment-Frame Structures was principally provided by the Federal Emergency Management Agency, with ten percent of the Phase I program funded by the State of California, Office of Emergency Services. Substantial additional support, in the form of donated materials, services, and data has been provided by a number of individual consulting engineers, inspectors, researchers, fabricators, materials suppliers and industry groups. Special efforts have been made to maintain a liaison with the engineering profession, researchers, the steel industry, fabricators, code-writing organizations and model code groups, building officials, insurance and risk-management groups, and federal and state agencies active in earthquake hazard mitigation efforts. SAC wishes to acknowledge the support and participation of each of the above groups, organizations and individuals. In particular, we wish to acknowledge the contributions provided by the American Institute of Steel Construction, the Lincoln Electric Company, the National Institute of Standards and Technology, the National Science Foundation, and the Structural Shape Producers Council. SAC also takes this opportunity to acknowledge the efforts of the project participants – the managers, investigators, writers, and editorial and production staff – whose work has contributed to the development of these documents. Finally, SAC extends special acknowledgement to Mr. Michael Mahoney, FEMA Project Officer, and Dr. Robert Hanson, FEMA Technical Advisor, for their continued support and contribution to the success of this effort.

In Memory of Egor Popov, Professor Emeritus, University of California at Berkeley

TABLE OF CONTENTS

LIST OF FIGURES	ix
LIST OF TABLES	xix
1. INTRODUCTION	1-1
1.1 Purpose.....	1-1
1.2 Background.....	1-2
1.3 Objectives	1-9
1.4 Historical Perspective	1-10
2. INELASTIC CYCLIC CHARACTERISTICS OF STRUCTURAL ELEMENTS.....	2-1
2.1 Beam Behavior.....	2-4
2.2 Column Behavior	2-6
2.3 Panel Zone Shear Behavior.....	2-7
2.4 Connection Behavior	2-11
3. METHODS FOR PREDICTION OF SEISMIC DEMANDS	3-1
3.1 Modeling of Structural Elements for Inelastic Analysis.....	3-1
3.1.1 Modeling of Post-Fracture Behavior at Welded Connections	3-3
3.1.2 Modeling of Beams with Post-Northridge Connections.....	3-6
3.1.3 Modeling of Panel Zone Shear Behavior.....	3-7
3.1.4 Modeling of Gravity Loads for P-Delta Effects	3-10
3.1.5 Other Modeling Considerations.....	3-11
3.2 Inelastic Time History Analysis	3-11
3.3 Inelastic Static Analysis (Pushover Analysis)	3-12
3.4 Elastic Methods of Analysis	3-13
3.4.1 Elastic Static Analysis	3-13
3.4.2 Elastic Dynamic Analysis	3-14
3.5 Building Structures, Analytical Models, and Ground Motions Used in the SAC System Performance Studies.....	3-15
3.5.1 Two-Dimensional Models	3-17
3.5.2 Three-Dimensional Models	3-18
4. SELECTED ISSUES AFFECTING THE SEISMIC PERFORMANCE OF WSMF STRUCTURES.....	4-1
4.1 Global and Local Performance Issues	4-1
4.2 Importance of Relative Strength of Elements at a Connection.....	4-1
4.2.1 The Strong Column Concept	4-2
4.2.2 Panel Zone Shear Strength.....	4-3
4.2.3 Sensitivity of Prediction of Local Demands	4-4
4.3 Effects of Relative Member Strength on Local Deformation Demands.....	4-6
4.4 Structure P-Delta Effect and Dynamic Instability	4-10
4.4.1 The P-Delta Problem.....	4-10
4.4.2 Case Study 1: The SAC 20-Story Los Angeles Building	4-17

4.4.3	Case Study 2: The SAC 3-Story Seattle Building	4-25
4.4.4	Summary Assessment of Importance of P-Delta Effects.....	4-30
5.	INELASTIC SEISMIC DEMANDS FOR DUCTILE WSMF SYSTEMS WITH FULLY RESTRAINED CONNECTIONS.....	5-1
5.1	Introduction.....	5-1
5.1.1	Emphasis of this Chapter	5-1
5.1.2	Ground Motion Issues.....	5-2
5.2	Global and Local Behavior – Pushover Analysis	5-2
5.2.1	Global Lateral Load - Drift Behavior	5-3
5.2.1.1	Variation in Story Drift Over Height.....	5-11
5.2.1.2	Overstrength.....	5-11
5.2.1.3	Effects of Weak Panel Zones	5-11
5.2.1.4	Strength of Structures in Regions of Different Seismicity	5-12
5.2.1.5	Effects of Subjective Design Decisions.....	5-12
5.2.1.6	Post-Northridge Structures	5-12
5.2.1.7	Sensitivity to Analytical Model	5-12
5.2.1.8	Contributions of Gravity Frames	5-13
5.2.1.9	Expected Seismic Performance Based on Pushover Analysis	5-13
5.2.2	Local Element Behavior	5-14
5.2.2.1	Evaluation of Relative Member Strength	5-16
5.2.2.2	Beam Plastic Rotations for Strong Panel Zones	5-17
5.2.2.3	Panel Zone Plastic Distortions for Weak Panel Zones	5-17
5.2.2.4	Sharing of Plastic Deformations Between Beams and Panel Zones.....	5-18
5.2.2.5	Effects of Subjective Design Decisions.....	5-20
5.2.2.6	Effect of Nominal versus Expected Material Yield Strength	5-20
5.2.2.7	Post-Northridge Connections.....	5-21
5.2.2.8	Effect of Gravity Frames	5-23
5.2.2.9	Dispelling a Myth	5-23
5.3	Roof and Story Drift Demands Under Ground Motions of Different Intensity	5-24
5.3.1	Spectral Characteristics of Sets of Records Used in Baseline Study.....	5-24
5.3.2	Roof Drift Demands.....	5-28
5.3.3	Story Drift Demands.....	5-29
5.3.3.1	Observations Based on Response of SAC Structures	5-31
5.3.3.2	Distribution of Story Drifts Over Height.....	5-34
5.3.3.3	Ratio of Maximum Story Drift to Roof Drift.....	5-35
5.3.3.4	Effects of P-Delta on Story Drifts.....	5-37
5.3.3.5	Sensitivity of Story Drifts to Design Issues.....	5-38
5.3.3.6	Sensitivity of Story Drifts to the Relative Strength of Beams vs. Panel Zones	5-38
5.3.3.7	Dispersion of Story Drift Demands	5-40
5.3.3.8	Outliers in Drift Demands.....	5-41
5.3.3.9	Residual Story Drift	5-41
5.3.3.10	Post Northridge Structures.....	5-42

	5.3.3.11 Effect of Modeling Accuracy on Story Drift Predictions	5-45
	5.3.3.12 Drift Hazard Curves	5-47
5.4	Global Force Demands	5-48
	5.4.1 Base and Story Shear Forces	5-49
	5.4.2 Base and Story Overturning Moments.....	5-53
5.5	Demands for Columns	5-56
	5.5.1 Column Moment and Plastic Rotation Demands.....	5-57
	5.5.2 Column Plastic Rotation Demands at Base of First-Story Column.....	5-61
	5.5.3 Column Axial Forces	5-62
	5.5.4 Moment and Axial Force Demands at Column Splices.....	5-64
5.6	Demands for Beam Plastic Rotations and Panel Zone Distortions.....	5-67
5.7	Sensitivity of Response	5-68
	5.7.1 Effect of Strain-Hardening.....	5-69
	5.7.2 Effect of Damping	5-71
	5.7.3 Effect of Period Variability.....	5-73
	5.7.4 Effect of Material Strength Variability	5-73
	5.7.5 Effect of Configuration and Redundancy	5-76
5.8	Effects of Ground Motion Characteristics	5-78
	5.8.1 Near-Fault Effects.....	5-78
	5.8.1.1 SAC Near-Fault Study	5-82
	5.8.2 Soft Soil Effects	5-85
	5.8.2.1 SAC Pilot Study on Soft Soil Effects	5-87
5.9	3-D Effects	5-89
	5.9.1 Simultaneous Horizontal Components of Motion	5-90
	5.9.1.1 Behavior Difference of 3-D and 2-D Frames	5-90
	5.9.1.2 Effect of Shaking Direction on Drift Magnitude	5-91
	5.9.1.3 Assessing Bi-Axial Demand in Inelastically Behaving 3-D Frames.....	5-92
	5.9.1.4 M_x - M_y -P Interaction	5-94
	5.9.1.5 Summary	5-95
	5.9.2 Vertical Component of Motion.....	5-96
	5.9.2.1 Estimation of Peak Axial Force Due to Vertical Shaking	5-97
5.10	Post-Northridge Structures	5-98
	5.10.1 Structures with Cover Plate Connections	5-98
	5.10.2 Reduced Beam Sections.....	5-98
5.11	Effects of Hysteretic Characteristics on Seismic Demands.....	5-99
	5.11.1 Effects of Hysteretic Characteristics on Seismic Demands for SAC Structures	5-102
	5.11.2 Summary Assessment of the Effects of Hysteretic Characteristics on Seismic Demands.....	5-109
5.12	Special Issues.....	5-110
	5.12.1 Approximate Prediction of Demands for WSMF Structures.....	5-110
	5.12.1.1 Estimation of Roof Drift Demands	5-111
	5.12.1.2 Estimation of Inelastic Roof Drift Demand Without P-Delta Effects.....	5-113

5.12.1.3	Estimate of Effects of P-Delta on Inelastic Roof Drift Demand	5-115
5.12.1.4	Relationship Between Roof Drift and Story Drift	5-116
5.12.1.4.1	Estimation of the Ratio of Maximum Story Drift to Roof Drift.....	5-116
5.12.1.4.2	Variation of the Ratio of Story Drift to Roof Drift Over Height of Structure.....	5-116
5.12.2	Value of Pushover Analysis.....	5-117
6.	BEHAVIOR OF FRAMES WITH PRE-NORTHRIDGE CONNECTIONS.....	6-1
6.1	Introduction.....	6-1
6.2	Analytical Modeling of Fractured Connections.....	6-1
6.2.1	Beam Flange Fractures	6-1
6.2.2	Column Fractures.....	6-3
6.3	Effects of Beam Flange Connection Fractures on Drift Demands	6-4
6.3.1	Approach.....	6-4
6.3.1.1	Approach for Sensitivity Studies	6-5
6.3.2	Beam Bottom Flange Connection Fractures Only (BFO Cases)	6-5
6.3.2.1	Brittle Base Case Results for LA 9-Story Structures.....	6-6
6.3.2.1.1	$\theta_{\max}$ and θ_{ave} Statistics.....	6-6
6.3.2.1.2	Spatial Variations of θ_i Statistics	6-7
6.3.2.2	Brittle Base Case Results for All Structures.....	6-8
6.3.2.2.1	$\theta_{\max}$ and θ_{ave} Statistics.....	6-8
6.3.2.2.2	Extremes and Collapses	6-10
6.3.2.2.3	Summary of Brittle Base Case Results	6-11
6.3.2.3	Results of Sensitivity Studies	6-11
6.3.2.3.1	Sensitivity to Early Fractures.....	6-11
6.3.2.3.2	Sensitivity to Plastic Rotation Capacity, θ_{f+}	6-14
6.3.2.3.3	Sensitivity to Residual Moment Strength, $M_{\text{red+}}$	6-14
6.3.2.3.4	Summary of Results of Sensitivity Studies.....	6-14
6.3.3	Beam Top and Bottom Flange Connection Fractures (TBF Cases)	6-15
6.3.3.1	TBF Connection Fracture Results for LA 9-Story Structure.	6-15
6.3.3.1.1	$\theta_{\max}$ Statistics	6-15
6.3.3.1.2	Extremes and Collapses	6-16
6.3.3.1.3	Spatial Variations of θ_i Statistics	6-17
6.3.3.2	TBF Connection Fracture Results for All Structures.....	6-17
6.3.3.3	Summary of TBF Connection Fracture Results.....	6-19
6.3.4	Conclusions on Effects of Beam Flange Connection Fractures	6-19
6.3.5	Effects of Interior Frames; The M1+ Model	6-20
6.3.5.1	Collapses.....	6-21
6.3.5.2	Story Drifts	6-21
6.3.6	Effects of Near-Fault Records	6-23
6.3.6.1	Maximum Story Drift Angle Results.....	6-24
6.3.6.2	Conclusions Based on LA 9-Story Structure	6-25
6.3.7	Effects of Redundancy	6-25

6.3.7.1	Modeling Assumptions	6-26
6.3.7.2	Story Drift Results	6-27
6.4	Effects of Column Fractures on Drift Demands	6-28
6.4.1	Bottom Flange Fractures Only.....	6-28
6.4.2	Top and Bottom Flange Fractures	6-30
6.4.3	“Pattern” of Column Fracture Triggers in Lower Stories.....	6-31
6.4.4	Conclusions Based on LA 9-Story.....	6-32
6.5	Methodology for Evaluation of Effects of Connection Fractures in a Probabilistic Format.....	6-33
6.5.1	Procedure for Computing Drift Hazard Curves.....	6-33
6.5.1.1	Spectral Acceleration Hazard	6-33
6.5.1.2	Relationship between Spectral Acceleration and Drift.....	6-34
6.5.1.3	Drift Demand Hazard.....	6-34
6.5.2	Numerical Example	6-35
6.6	Methodology for Safety Evaluation of Structures	6-39
6.6.1	Collapse Limit State Probability	6-40
6.6.2	Incremental Dynamic Analyses (IDAs).....	6-41
6.6.3	Numerical Example	6-42
7.	FRAMES WITH PARTIALLY RESTRAINED CONNECTIONS	7-1
7.1	Modeling of Strength and Stiffness Properties of PR Connections.....	7-1
7.2	Seismic Demands for Frames with PR Connections	7-4
7.2.1	SAC Case Studies of Frames with PR Connections	7-5
7.2.2	Global Behavior Obtained from Pushover Analysis.....	7-6
7.2.3	Story Drift Demands	7-9
7.2.4	Connection Rotation Demands	7-14
7.3	Summary Observations on Frames with PR Connections	7-16
8.	SUMMARY AND CONCLUSIONS	8-1
8.1	Analytical Modeling	8-1
8.2	Element Behavior Issues.....	8-2
8.3	System Behavior Issues	8-3
8.4	Global Strength Issues	8-4
8.5	Effects of Ground Motion Characteristics	8-5
8.6	Effects of Connection Fractures on Response and Safety	8-5
8.7	Behavior of Frames with PR Connections.....	8-5
APPENDIX A –	SAC GROUND MOTIONS.....	A-1
A.1	Description of Sets of Ground Motions.....	A-1
A.2	Spectral Characteristics of Ground Motions.....	A-1

APPENDIX B – THE SAC MODEL BUILDINGS	B-1
B.1 Description of Buildings and Basic Loading Conditions	B-1
B.2 Los Angeles (LA) Structures	B-3
B.3 Seattle (SE) Structures	B-4
B.4 Boston (BO) Structures.....	B-5
B.5 Redesigned LA 9-Story Structures	B-6
REFERENCES, FEMA REPORTS, SAC REPORTS, AND ACRONYMS	R-1
SAC PHASE II PROJECT PARTICIPANTS	S-1